



Product overview B&C lamination brochure

L = Low, ML = Medium Low, M = Medium, MH = Medium High, H = High

Maximum continuous operating temperature (°C)	Adhesive technology	Product name	Thickness (excl liner)	Resistance to curvature	Moisture resistance	Solvent, chemical and plasticizer resistance	Liner	Polyurethane ester foam	Polyurethane ether foam	EVA	Polyester felt	EPDM	Neoprene / sponge rubber	Rubber extruded	PVC - mildly plasticized	ABS	XPS / EPS foam	Polycarbonate (PC)	Polyethylene (PE)	Fiberglass	Mineral wool	Glass / ceramic	Aluminium	Metal - painted	Metal - powder coated	Stainless steel	Cork	PP & non woven (PP based)	PET & non woven (PET based)
TRANSFER TAPES																													
55	Rubber	FT 167	60	ML	ML	L	Glassine white 67µm	H	H	H	H	MH	M	MH	ML	H	H	H	H	H	MH	ML	H	H	MH	H	MH	H	H
65	Rubber	FT 117	60	M	ML	L	Glassine white 67µm	MH	M	H	MH	H	H	H	ML	H	M	H	H	H	M	ML	H	H	MH	H	M	H	MH
95	Rubber	FT 21056	55	MH	M	L	Glassine havana 75µm	H	MH	MH	H	MH	MH	MH	ML	H	MH	H	H	H	M	ML	H	H	MH	H	M	H	H
110	Rubber	FT 107	60	M	MH	L	Glassine blue-green 80µm	H	MH	MH	H	MH	MH	MH	ML	H	MH	H	H	H	MH	ML	H	H	MH	H	MH	H	H
110	Rubber	FT 2147	60	M	MH	L	OPP white 100µ	H	MH	MH	H	MH	MH	MH	ML	H	MH	H	H	H	MH	ML	H	H	MH	H	MH	H	H
120	Modified Acrylic	FT 2014	40	M	L	MH	Glassine white 67µm	H	MH	MH	H	MH	MH	MH	H	H	MH	H	MH	H	L	ML	H	MH	MH	H	L	MH	H
120	Modified Acrylic	FT 2020	50	M	L	MH	Glassine havana 67µm	H	MH	MH	H	MH	MH	MH	H	H	MH	H	MH	H	M	ML	H	MH	MH	H	M	MH	H
120	Modified Acrylic	FT 2055	50	M	L	MH	OPP white 60µm	H	MH	MH	H	MH	MH	MH	H	H	MH	H	MH	H	M	ML	H	MH	MH	H	M	MH	H
120	Modified Acrylic	FT 2018	80	M	L	MH	Glassine havana 67µm	H	MH	MH	H	MH	MH	MH	H	H	MH	H	MH	H	MH	ML	H	MH	MH	H	MH	MH	H
130	Modified Acrylic	FT 125	90	MH	MH	MH	Glassine havana 75µm	H	MH	MH	H	MH	MH	MH	H	H	MH	H	MH	H	H	M	H	MH	M	H	H	MH	H
130	Modified Acrylic	FT 1270	70	H	MH	MH	PPP white 115µm	H	MH	MH	H	MH	M	MH	H	H	MH	H	MH	MH	MH	M	H	MH	M	H	MH	MH	H

130	Pure Acrylic	FT 2150	60	MH	H	M	Glassine white 80µm	H	MH	MH	H	MH	MH	MH	MH	H	MH	H	ML	H	M	MH	H	MH	M	H	M	ML	H
130	Pure Acrylic	FT 109	60	ML	H	H	Glassine havana 75µm	M	ML	L	M	L	ML	L	H	M	ML	M	L	M	L	H	M	M	ML	M	L	L	M
130	Pure Acrylic	FT 2095	50	MH	MH	H	Glassine havana 67µm	M	ML	ML	M	ML	ML	ML	H	M	ML	M	ML	M	L	L	M	ML	ML	M	L	ML	M
130	Pure Acrylic	FT 2098	80	MH	MH	H	Glassine havana 67µm	M	ML	ML	M	ML	ML	ML	H	M	ML	M	ML	M	M	L	M	ML	ML	M	M	ML	M

DOUBLE COATED SCRIM TAPES

65	Rubber	FT 666	180	ML	ML	L	Glassine havana 88 75µm	MH	M	H	MH	H	H	H	ML	H	M	H	H	H	H	ML	H	H	MH	H	H	H	MH
95	Rubber	FT 7956	70	M	ML	L	Glassine havana 88 75µm	H	MH	MH	H	MH	MH	MH	ML	H	MH	H	H	H	M	ML	H	H	MH	H	M	H	H
120	Modified Acrylic	FT 7930	70	MH	L	MH	Glassine havana 78 67µm	H	MH	MH	H	MH	MH	MH	H	H	MH	H	MH	H	L	ML	H	H	MH	H	L	MH	H
120	Modified Acrylic	FT 7951	90	M	L	MH	Glassine havana 78 67µm	H	MH	MH	H	MH	MH	MH	H	H	MH	H	MH	H	M	ML	H	H	MH	H	M	MH	H
120	Modified Acrylic	FT 7954	90	M	L	MH	Glassine havana 78 67µm	H	MH	MH	H	MH	MH	MH	H	H	MH	H	MH	M	M	ML	H	H	MH	H	M	MH	H
120	Modified Acrylic	FT 7958	90	M	L	MH	OPP white 60µm	H	MH	MH	H	MH	MH	MH	H	H	MH	H	MH	H	M	ML	H	H	MH	H	M	MH	H
120	Modified Acrylic	FT 7995	135	M	L	MH	Glassine havana 67µm	H	MH	MH	H	MH	MH	MH	H	H	MH	H	MH	H	H	ML	H	H	MH	H	H	MH	H
130	Pure Acrylic	FT 7961	88	M	M	M	Glassine havana 75µm	H	MH	MH	H	MH	MH	MH	MH	H	MH	H	ML	H	MH	ML	H	H	MH	H	MH	ML	H
140	Pure Acrylic	FT 7999	100	M	MH	H	Glassine havana 67µm	M	ML	ML	M	ML	ML	ML	H	M	ML	M	ML	M	MH	L	M	M	ML	M	MH	ML	M

DOUBLE COATED POLYPROPYLENE / POLYESTER TAPES

55	Rubber	FT 361	75	ML	ML	L	Glassine white 67µm	M	M	H	M	MH	M	MH	ML	H	M	H	H	H	MH	ML	H	H	MH	H	MH	H	M
55	Rubber	FT 349	145	ML	ML	L	Glassine blue-green 80µm	H	H	H	H	MH	MH	MH	ML	H	H	H	H	H	H	ML	H	H	MH	H	H	H	H
55	Rubber	FT Y3241	135	M	ML	L	Glassine blue-green 80µm	H	H	H	H	MH	MH	MH	ML	H	H	H	H	H	H	ML	H	H	MH	H	H	H	H
95	Rubber	FT 7356	85	M	M	L	Glassine havana 75µm	H	MH	MH	H	MH	MH	MH	ML	H	MH	H	H	H	MH	ML	H	H	MH	H	MH	H	H
110	Rubber	FT 306A	86.5	M	MH	L	Glassine blue-green 80µm	H	MH	MH	H	MH	MH	MH	H	H	MH	H	H	H	MH	ML	H	MH	MH	H	MH	H	H
130	Pure Acrylic	FT 7349	92	M	H	M	Glassine blue-green 80µm	H	MH	M	H	M	M	MH	MH	H	MH	H	ML	H	H	MH	H	MH	M	H	H	ML	H

DOUBLE COATED TISSUE / NONWOVEN

55	Rubber	FT 239	160	ML	ML	L	Glassine blue-green 80µm	H	H	H	H	MH	MH	MH	ML	H	H	H	H	H	H	ML	H	H	MH	H	H	H	H
55	Rubber	FT 7206	105	ML	ML	L	Glassine white 56µm	MH	M	H	H	MH	MH	MH	ML	H	M	H	H	H	MH	ML	H	H	MH	H	MH	H	H
65	Rubber	FT 273	115	M	ML	L	Glassine havana 75µm	MH	M	H	H	H	H	H	ML	H	M	H	H	H	MH	ML	H	H	MH	H	MH	H	H
110	Rubber	FT Y2202	42	M	MH	L	Glassine white 100µm	H	MH	MH	MH	MH	MH	MH	ML	H	MH	H	H	H	M	ML	H	MH	MH	H	M	H	MH
110	Modified Acrylic	FT 7700 WN	120	H	H	MH	PPP white 115µm	H	MH	MH	MH	MH	M	MH	H	H	MH	H	MH	MH	MH	M	H	MH	M	H	MH	MH	MH
110	Modified Acrylic	FT 7230	100	M	L	MH	Glassine havana 67µm	H	MH	MH	MH	MH	MH	MH	H	H	MH	H	MH	H	M	MH	H	MH	MH	H	M	MH	MH
120	Modified Acrylic	FT 7770	115	M	L	MH	Glassine havana 75µm	H	MH	MH	MH	MH	MH	MH	H	H	MH	H	MH	H	MH	MH	H	MH	MH	H	MH	MH	MH
120	Modified Acrylic	FT 7772	115	M	L	MH	Glassine white 100µm	H	MH	MH	MH	MH	MH	MH	H	H	MH	H	MH	H	MH	MH	H	MH	MH	H	MH	MH	MH
120	Modified Acrylic	FT 9220	150	MH	MH	MH	Glassine white 100µm	H	MH	MH	MH	MH	MH	MH	H	H	MH	H	MH	H	H	MH	H	MH	M	H	H	MH	MH
130	Pure Acrylic	FT 7250	151	MH	H	M	Glassine blue-green 80µm	H	MH	M	H	M	M	MH	MH	H	MH	H	ML	H	M	MH	H	MH	M	H	M	ML	H

L = Low, ML = Medium Low, M = Medium, MH = Medium High, H = High



Please refer to Tapes.AveryDennison.com for complete terms and conditions, including warranty terms, relating to this product. You should periodically review the site as terms and conditions are subject to change without notice.

The information contained herein is believed to be reliable but Avery Dennison makes no representations concerning the accuracy or correctness of the data. This product, like any other, should be tested by the customer/user thoroughly using end user conditions to ensure the product meets the particular requirements. Independent results may vary.

© 2020 Avery Dennison Corporation. All rights reserved. Avery Dennison® is a registered trademark of Avery Dennison Corporation. All other Avery Dennison brands, product names, antenna designs and codes or service programs are trademarks of Avery Dennison Corporation. All other brands and product names are trademarks of their respective owners.

Europe 08/22, POD



Performance
Tapes

Asia Pacific

Kunshan, China,
No. 618 Nanhe Road
Kunshan Economic & Technological
Zone
China 215335
Phone: +86 400 6987 555
Fax: +86 512 57155059

Europe

Tieblokkenlaan 1
B-2300 Turnhout
Belgium
Phone: +32 (0)14 40 48 11
Fax: +32 (0)14 40 48 55

North America

250 Chester Street Painesville,
Ohio
44077 USA
Phone: +1 866-462-8379
Fax: +1 888-358-4469

**For more information on our bonding tapes and adhesive solutions,
visit Tapes.AveryDennison.com**