

High Performance Pressure-Sensitive Adhesives for Foam and Fiber Lamination

Automotive | Appliances | Building and Construction | Transportation | Heavy Equipment

- > Acrylic, modified acrylic and rubber based
- > Continuous operating temperatures from -40°C/ -40°F up to 140°C/ 284°F
- > Adhesion to low, medium and high surface energy substrates
- > Excellent price performance ratio



Up to Maximum Continuous Operating Temperature in Celsius			Adhesive Technology	Product Name	Thickness	Resistance to Curvature	Liner	Cloth	EPDM	EVA	Flock	Foam - Polyurethane Ester	Foam - Polyurethane Ether	Neoprene / Sponge Rubber	Shoddy	PORON® Polyurethane Foam	PVC - Mildly Plasticized	Rubber Extruded	ABS	Aluminum	Fiberglass	Glass / Ceramic	Metal - Painted	Metal - Powder Coated	Polycarbonate	Polyethylene (PE)	Polypropylene (PP)	Stainless Steel
55			Rubber	FT 167	60	M	Glassine White 70µ	H	MH	H	H	H	H	M	H	H	ML	MH	H	H	H	ML	H	MH	H	H	H	H
65			Rubber	FT 117	60	MH	Glassine White 70µ	H	H	H	H	MH	M	H	H	H	M	H	H	H	H	ML	H	MH	H	H	H	H
	95		Rubber	FT 21056	50	MH	Glassine Havana 75µ	H	MH	MH	H	H	MH	MH	MH	MH	MH	MH	H	H	H	ML	H	MH	H	H	H	H
		110	Rubber	FT 107	60	M	Glassine Blue Green 85µ	H	MH	MH	H	H	MH	MH	H	MH	M	MH	H	H	H	ML	H	MH	H	H	H	H
		110	Rubber	FT 2147	60	M	OPP White 100µ	H	MH	MH	H	H	MH	MH	H	MH	M	MH	H	H	H	ML	H	MH	H	H	H	H
		120	Modified Acrylic	FT 2018	80	M	Glassine Havana 69µ	MH	MH	MH	H	H	MH	MH	H	MH	MH	MH	H	H	H	ML	MH	MH	H	MH	MH	H
		120	Modified Acrylic	FT 2020	50	M	Glassine Havana 69µ	MH	MH	MH	H	H	MH	MH	H	MH	MH	MH	H	H	H	ML	MH	MH	H	MH	MH	H
		130	Modified Acrylic	FT 125	90	MH	Glassine Havana 75µ	MH	MH	MH	H	H	MH	MH	H	MH	MH	MH	H	H	H	M	MH	M	H	MH	MH	H
		130	Modified Acrylic	FT 126	60	MH	Glassine Havana 75µ	MH	MH	MH	MH	H	MH	MH	H	MH	MH	MH	H	H	H	ML	MH	M	H	MH	MH	H
		130	Modified Acrylic	FT 1270	70	H	Glassine White 110µ	MH	MH	MH	MH	H	MH	M	MH	MH	M	MH	H	H	MH	M	MH	M	H	MH	MH	H
		130	Pure Acrylic	FT 2150	60	MH	Glassine White 85µ	MH	MH	MH	H	H	MH	MH	H	MH	MH	MH	H	H	H	MH	MH	M	H	ML	ML	H
		140	Pure Acrylic	FT 109	60	ML	Glassine Havana 75µ	ML	L	L	ML	M	ML	ML	M	ML	H	L	M	M	M	H	M	ML	M	L	L	M
Double Coated Tissue/ Nonwoven																												
55			Rubber	FT 239	160	ML	Glassine Blue Green 85µ	H	MH	H	H	H	H	MH	H	H	ML	MH	H	H	H	ML	H	MH	H	H	H	H
55			Rubber	FT 7206	90	ML	Glassine White 70µ	MH	MH	H	M	MH	M	M	MH	H	ML	MH	H	H	H	ML	H	MH	H	H	H	H
65			Rubber	FT 273	115	M	Glassine Havana 75µ	H	H	H	H	MH	M	H	H	H	M	H	H	H	H	ML	H	MH	H	H	H	H
	95		Rubber	FT 7256	100	M	Glassine Havana 75µ	H	MH	MH	H	H	MH	MH	H	H	M	MH	H	H	H	ML	H	MH	H	H	H	H
		110	Rubber	FTY 2202	80	M	Glassine White 110µ	H	MH	MH	H	H	MH	MH	H	MH	M	MH	H	H	H	ML	MH	MH	H	H	H	H
		110	Modified Acrylic	FT 7700	110	H	PPP White 120µ	MH	MH	MH	MH	H	MH	M	MH	MH	M	MH	H	H	MH	M	MH	M	H	MH	MH	H
		120	Modified Acrylic	FT 7230	120	M	Glassine Havana 69µ	MH	MH	MH	MH	H	MH	MH	H	MH	MH	MH	H	H	H	MH	MH	MH	H	MH	MH	H
		120	Modified Acrylic	FT 7770	120	M	Glassine Havana 69µ	MH	MH	MH	MH	H	MH	MH	H	MH	MH	MH	H	H	H	MH	MH	MH	H	MH	MH	H
		120	Modified Acrylic	FT 9220	140	MH	Glassine White 110µ	MH	MH	MH	MH	H	MH	MH	H	MH	MH	MH	H	H	H	MH	MH	M	H	MH	MH	H
		130	Pure Acrylic	FT 7250	140	MH	Glassine Blue Green 85µ	MH	M	M	MH	H	MH	M	H	MH	MH	MH	H	H	H	MH	MH	M	H	ML	ML	H

High Performance Pressure-Sensitive Adhesives for Foam and Fiber Lamination (continued)

Up to Maximum Continuous Operating Temperature in Celsius	Adhesive Technology	Product Name	Thickness	Resistance to Curvature	Liner	Cloth	EPDM	EVA	Flock	Foam - Polyurethane Ester	Foam - Polyurethane Ether	Neoprene / Sponge Rubber	Shoddy	PORON® Polyurethane Foam	PVC - Mildly Plasticized	Rubber Extruded	ABS	Aluminum	Fiberglass	Glass / Ceramic	Metal - Painted	Metal - Powder Coated	Polycarbonate	Polyethylene (PE)	Polypropylene (PP)	Stainless Steel
55	Rubber	FT 361	75	L	Glassine White 70µ	H	MH	H	H	M	M	M	M	H	ML	MH	H	H	H	ML	H	MH	H	H	H	H
55	Rubber	FT 349	145	ML	Glassine Blue Green 85µ	H	MH	H	H	H	H	MH	H	H	ML	MH	H	H	H	ML	H	MH	H	H	H	H
55	Rubber	FTY 3241	145	M	Glassine Blue Green 85µ	H	MH	H	H	H	H	MH	H	H	ML	MH	H	H	H	ML	H	MH	H	H	H	H
95	Rubber	FT 7356	82	M	Glassine Havana 75µ	H	MH	MH	H	H	MH	MH	H	H	M	MH	H	H	H	ML	H	MH	H	H	H	H
110	Rubber	FT 306A	85	M	Glassine Blue Green 85µ	H	MH	MH	H	H	MH	MH	H	MH	M	MH	H	H	H	ML	MH	MH	H	H	H	H
120	Modified Acrylic	FT 7329	120	M	Glassine White 50µ	MH	MH	MH	MH	H	MH	MH	H	MH	MH	MH	H	H	H	MH	MH	MH	H	MH	MH	H
130	Pure Acrylic	FT 7349	92	M	Glassine Blue Green 85µ	MH	M	M	MH	H	MH	M	H	MH	MH	MH	H	H	H	MH	MH	M	H	ML	ML	H
130	Pure Acrylic	FT 7352	210	MH	Glassine Blue Green 85µ	H	MH	M	MH	H	H	M	H	H	MH	MH	H	H	H	MH	MH	M	H	ML	ML	H
Double Coated Scrim																										
65	Rubber	FT 666	175	MH	Glassine Havana 75µ	H	H	H	H	MH	M	H	H	H	M	H	H	H	H	ML	H	MH	H	H	H	H
95	Rubber	FT 7956	70	MH	Glassine Havana 75µ	H	MH	MH	H	H	MH	MH	H	MH	MH	MH	H	H	H	ML	H	MH	H	H	H	H
105	Modified Acrylic	FT 7953	80	ML	OPP White 60µ	MH	MH	MH	MH	H	MH	MH	H	MH	MH	MH	H	H	H	MH	MH	MH	H	MH	MH	H
120	Modified Acrylic	FT 7951	100	M	Glassine Havana 69µ	MH	MH	MH	H	H	MH	MH	H	MH	MH	MH	H	H	H	ML	H	MH	H	MH	MH	H
120	Modified Acrylic	FT 7954	100	M	Glassine White 69µ	MH	MH	MH	H	H	MH	MH	H	MH	MH	MH	H	H	H	ML	H	MH	H	MH	MH	H
130	Pure Acrylic	FT 7961	79	MH	Glassine Blue Green 85µ	MH	MH	MH	H	H	MH	MH	H	MH	MH	MH	H	H	H	ML	H	MH	H	ML	ML	H

L = Low, ML = Medium Low, M = Medium, MH = Medium High, H = High

For more information on our bonding tapes and adhesive solutions, visit Tapes.AveryDennison.com

Please refer to Tapes.AveryDennison.com for complete terms and conditions, including warranty terms, relating to this product. You should periodically review the site as terms and conditions are subject to change without notice.

© 2015 Avery Dennison Corporation. All rights reserved. Avery Dennison® is a registered trademark of Avery Dennison Corporation. All other Avery Dennison brands, product names, antenna designs and codes or service programs are trademarks of Avery Dennison Corporation. PORON® is a registered trademark of Rogers Corporation.



Performance
Tapes

Asia Pacific
Kunshan, China,
NO. 618 Nanhe Road
Kunshan Economic & Technological Zone
China 215335
Phone: +86 512 57155001
Fax: +86 512 57155059

Europe
Tieblokkenlaan 1
B-2300 Turnhout
Belgium
Phone: +32 (0)14 40 48 11
Fax: +32 (0)14 40 48 55

North America
250 Chester Street
Painesville, Ohio
44077 USA
Phone: +1 866-462-8379
Fax: +1 888-358-4469

For more information on our bonding tapes and adhesive solutions, visit Tapes.AveryDennison.com