

Avery Dennison
Performance Tapes
Product Catalog

North America
July 2025

Fasson[®] HVAC/R Tapes and Sealants

The Contractor's Favorite!



Performance
Tapes

Fasson® Products

More than 35 years of trusted performance

Avery Dennison provides high quality Fasson brand pressure-sensitive HVAC/R tapes that deliver a fast, permanent bond providing an airtight moisture barrier for sealing duct board, flexible duct and insulation facings.

Contractors can choose from a complete line of foil, FSK, film and cloth duct tapes. Fasson® 0800 and Fasson® 0810 tapes carry a 20-year limited product warranty.

For best results



Fasson brand tapes adhere best on clean dry surfaces. For a strong bond, maintain tension when applying tape and then squeegee tape flat. Be sure to store tape in a cool, dry place and to rotate stock.



Same Day/Next Day Service
Contribute to LEED®
(Leadership in Energy and
Environmental Design) points.

Our tape portfolio

HVAC FASTENING SYSTEMS

Product	Description	Available Sizes	Rolls / Case	Order Number
Fasson® 0810 	2 mil, high tensile strength aluminum foil, meets UL® standard 181A-P & B-FX for high performance closure systems on rigid fiberglass duct board and flexible duct, uses a 2.6 mil, white, high shear, acrylic adhesive that carries a 20-year limited warranty.	2.5" x 60 yds.	16	87412 02160180
		3.0" x 60 yds.	16	87412 03000180
Fasson® 0800 	2 mil, high tensile strength aluminum foil, meets UL® standard 181A-P & B-FX for high performance closure systems on rigid fiberglass duct board and flexible duct; uses a 2.4 mil, high shear, acrylic adhesive that carries a 20-year limited warranty; economically priced.	2.5" x 60 yds.	16	56477 02160180
		3.0" x 60 yds.	16	56477 03000180
Fasson® 0817	2 mil, dead-soft aluminum foil, coated one side with a 2 mil, quick stick, cold-temperature synthetic rubber-based adhesive. Features a strong bond to a variety of surfaces. UL® 723 classified.	2.0" x 50 yds. 3.0" x 50 yds.	24 16	56384 02000150 56384 03000150
Fasson® 0827	A tri-directional Foil Scrim Kraft (FSK) facestock that matches FSK faced insulation. Coated on one side with an aggressive, 2 mil, quick-stick, cold-temperature synthetic rubber-based adhesive. UL® 723 classified.	3.0" x 50 yds.	16	56535 03000150

CLOTH DUCT TAPES

Product	Description	Available Sizes	Rolls / Case	Order Number
Fasson® 950	10 mil, economy grade, cloth duct tape with a maximum performance temperature of 200°F. UL® 723 classified.	48mm x 55m	Black Silver	58984 01280180 58983 01280180
Fasson® 955	12 mil, metalized cloth duct tape with a maximum performance temperature of 200°F. UL® 723 classified.	48mm x 55m 72mm x 55m	Metalized Metalized	58988 01280180 58988 02270180
Fasson® 957	14 mil, UL® 181B-FX classified, Premium HVAC Grade cloth duct tape with a maximum performance temperature of 200°F. Heavy duty polyethylene and premium cloth ensure an airtight moisture barrier.	48mm x 55m 48mm x 55m 72mm x 55m	Black Metalized Metalized	58306 01280180 58307 01280180 58307 02270180

FILM TAPES

Product	Description	Available Sizes	Rolls / Case	Order Number
Fasson® FAS-FLEX	Printed metallized BOPP used for connecting, joining and sealing flexible air ducts. UL® 181B-FX classified.	48mm x 110m 48mm x 110m	Metalized Black	58343 01280360 58342 01280360

ACCESSORIES

Product	Description	Available Sizes	Rolls / Case	Order Number
Fasson® 1000S	High viscosity, excellent tack, multi-purpose spray adhesive for most lightweight materials. Specially formulated for fast and secure bonds, excellent properties for bonding dissimilar substrates and VOC compliant. Designed to meet current government requirements.	17 fluid ounces	12	589390

*48mm = 24 rolls per case
72mm = 16 rolls per case

Avery Dennison
Performance Tapes
Product Catalog

North America
July 2025

Proud Members Of:



Made in U.S.A. 

To learn more or to place an order, contact your sales representative, or visit:
tapes.averydennison.com/buildingandconstruction



Please refer to tapes.averydennison.com for complete terms and conditions, including warranty terms, relating to this product. You should periodically review the site as terms and conditions are subject to change without notice.

© 2025 Avery Dennison Corporation. All rights reserved. Fasson® and Avery Dennison® are registered trademarks of Avery Dennison Corporation. All other Avery Dennison brands, product names, antenna designs and codes or service programs are trademarks of Avery Dennison Corporation. WMP® is a registered trademark of Lamtec Corporation.