


Avery Dennison Performance Tapes PSA Solutions for Seat Heating and Occupant Sensors

With a wide range of specially formulated pressure-sensitive adhesives, Avery Dennison Performance Tapes can offer the optimal solution for attaching seat heating and occupant sensing components to automotive seat foams.

The increasing adoption of seat heating, driven also by the need to provide occupants of electric vehicles with thermal comfort without heavily impacting the driving range, will be a productivity challenge for many automotive seat assemblers. Pressure-sensitive tapes provide the robustness required for these demanding applications while offering advantages in productivity over alternatives such as stapling or wet adhesives.



Features



- A range of rubber and acrylic based tapes to securely bond heating and sensing layers to all types of PE, PU and EPDM foams with non-woven webs and scrim.
- Withstand temperature differences, moisture (sweat) and chemicals
- Controlled release liners allow for easy removal at point of application.
- Low VOC solutions available.
- Plasticizer resistant formulations.
- Coating techniques to selectively apply the adhesives across the contact area.
- Water vapour transmission is given with certain acrylic adhesives

Benefits

- Can reduce assembly time and improve manufacturing flexibility compared to alternatives such as wet adhesives.
- Easy application and potentially reduced operator fatigue (i.e. compared to stapling)
- Durable bond that does not impact the comfort and performance of the seat.
- Bonding of printed heating and sensing components without affecting their functional performance.
- Designs available that are compatible with foams for ventilated seats.
- Resistance to mold release agents means no adaptation of the foaming process required.
- Acrylic adhesives that are compatible with printed conductive ink circuits.
- Making the application easier by incorporating finger lifts to facilitate liner removal.
- Contribute to a comfortable seating climate.

Solutions

A range of Avery Dennison tapes have already found a place in the production of seat heating and occupant sensing mats. UV cured acrylic adhesives combine high adhesion to poly-urethane foams with the lowest emissions. Dispersion acrylics offer a balance between a wide range of foam bonding requirements and low emission and odor values. Rubber based PSAs are ideal for foams with the most challenging mold release agents. All the variants can be offered with pattern coating, either as a transfer tape or reinforced with scrims or a carrier for added strength.



Product	Tape Thickness without liner (μ)	Carrier	Liner	Key Features
FT 2150	60	-	Glassine, 105gsm	Low VOC acrylic transfer tape for PUR foam bonding with greater moisture resistance, also compatible with conductive inks
FT 2151	76	-	Glassine, 105gsm	Low VOC acrylic transfer tape for laminating on more porous foams. Compatible with conductive inks
FT 7961	95	PET scrim	Glassine, 90gsm	Low VOC reinforced acrylic transfer tape for foam and PET bonding and greater moisture resistance, also compatible with conductive inks
FT 7250	151	Non-woven scrim	Glassine, 105gsm	Low VOC double coated acrylic tape on a nonwoven carrier to bond more porous foams and open scrims. Compatible with conductive inks
FT 7352	212	PET 12μm clear	Glassine, 105gsm	Low adhesive acrylic for harder to bond foams and PET layers. Compatible with conductive inks
FT 2018	80	-	Glassine, 80gsm	Acrylic transfer tape for general bonding with moderate VOC levels
FT 2095	50	-	Glassine, 80gsm	An economical low VOC acrylic tape for bonding fine pored foams.
FT 2098	80	-	Glassine, 80gsm	Low VOC acrylic for more porous foams and scrims.
FT 7951	80	PET Scrim	Glassine, 80gsm	A reinforced acrylic transfer tape with moderate VOC for higher tack on foams.
FT 7995	125	PET Scrim	Glassine, 80gsm	A reinforced acrylic transfer tape with moderate VOC for higher tack on coarser pored foams.
FT 7999	90	PET Scrim	Glassine, 80gsm	Low VOC acrylic reinforced transfer tape for coarser foams and scrims.
FT 107	60	-	Glassine, 105gsm	Rubber based transfer tape well suited for bonding PU and PE foams.
FT 666	195	PET Scrim	Glassine, 90gsm	A reinforced rubber based adhesive transfer tape for high adhesion on rubber based or coated foams.
FT Y6663	220	PET Scrim	Glassine, 90gsm	A reinforced rubber based adhesive transfer tape for highest performance on rubber based or coated foams.
FT 2147	60	-	OPP white, 100μm	General purpose rubber adhesive transfer tape with a plastic liner.
FT 21081	86	-	Glassine, 95gsm	General purpose rubber adhesive transfer tape for foam bonding.

For more information on our bonding tapes and adhesive solutions, call us:

North America: +1 866 462 8379

Asia Pacific: +86 512 57155001

Europe: +32 (0)14 40 48 11

www.tapes.averydennison.com

01/2021



© 2021 Avery Dennison Corporation. All rights reserved. Data was collected according to Avery Dennison test methods and standards, testing should be confirmed by the customer. All statements, technical information and recommendations concerning products sold or samples provided by AVERY DENNISON are based upon tests believed to be reliable but do not constitute a guarantee or warranty. All products are sold and samples of products provided with the understanding that Customer has independently determined the suitability of such products for its purposes.