

Pressure-sensitive adhesives for tile pads for modular flooring

Flooring applications



Application


Self-adhesive high tack tile pads for a user friendly and glue free installation of modular flooring substrates. Tile tabs are used to install modular floor system as a free floating system without connecting the modular floor to the subfloor, whilst creating a connection between the floor tiles.



Installation


1. Tear

Tear off the tile pad from roll




2. Place

Place tile pad below the modular floor substrate



3. Compile

Compile and press down modular floor substrates



Features

Engineered acrylic adhesive

Self-wound liner free system

Strong clear polyester facestock

Benefits

High initial bond to variety of floor substrates and backing materials; engineered performance adhesive with excellent resistance to plasticizers, chemicals, moisture and temperature; strong connection to floor substrate over time

No need to remove protective liner; reducing non-required scrap; user friendly tear-off method

Transparent facestock; excellent strength and dimensional stability

Product features and benefits

Avery Dennison FT 4361 is a self-wound tape with a rigid PET facestock and a high engineered performance adhesive designed for high performance and user friendly tile pad applications. Suitable for a variety of secondary backings (PVC, rubber, vinyl, bitumen, felt, non-woven, ...) with an excellent aging performance.

Our technical experts are here to show you how to work with your materials successfully during every phase of your application. You can count on us to approach any challenge with genuine curiosity and care.

Contact your Avery Dennison sales representative or visit tapes.averydennison.com



#MakingPossible

Please refer to tapes.averydennison.com for complete terms and conditions, including warranty terms relating to this product. You should periodically review the site as terms and conditions are subject to change without notice.

DISCLAIMER – © 2026 Avery Dennison Corporation. All rights reserved. The “Making Possible” tagline, Avery Dennison and all other Avery Dennison brands, this publication, its content, product names and codes are trademarks of Avery Dennison Corporation. All other brands and product names are trademarks of their respective owners. Branding and other information on any samples depicted are fictitious. Any resemblance to actual names is purely coincidental. This publication must not be used, copied or reproduced in whole or in part for any purposes other than marketing by Avery Dennison. All Avery Dennison statements, technical information and recommendations are based on tests believed to be reliable but do not constitute a guarantee or warranty. All Avery Dennison products are sold with the understanding that purchaser has independently determined the suitability of such products for its purposes. All Avery Dennison’s products are sold subject to Avery Dennison’s general terms and conditions of sale, see terms.europe.averydennison.com.